A-7

© 1965

the light idea

VIRDEN Lighting

CAT. U-66

VIRDEN ...elegance in lighting

Virden traditional and contemporary lighting fashions are designed to help you add a touch of decorative elegance to your home in the easiest way... by flattering your furnishings.

Distinctive new glassware, smart new finishes, authentic period designs in Provincial, Early American, Ranch Style, Victorian...matching ensembles to coordinate your decor...Virden gives you everything you need to create elegant, exciting lighting effects.

And now, Virden also gives you an easy-to-follow new way to make your lighting selections. This catalog is arranged in the same general order in which lighting fixtures are normally chosen in a showroom. Starting outdoors, and working your way through the front entrance and the halls to kitchen, baths, bedrooms, family room, living and dining rooms, you choose your lighting in the easiest way.

Before you select your fixtures, though, read through the handy lighting guide on the next page. It gives you some of the secrets professional decorators use to create dramatic decorative effects... and it will help you make certain you have provided lighting for your home that is functional, decorative and yes, fashionable.

elegance made easy...

All fixtures shown are reproductions of actual color photographs

Designed and manufactured by

THE JOHN C. VIRDEN COMPANY

"The Light Idea," a guide to decorative lighting



Entrance



Hallway



Bedroom-Kitchen



Bathroom



Living—Dining



Living—Dining

Entrances—Your entrance gives visitors that first important impression of your home, so lighting designs should harmonize with your architecture. And for the most flattering effect, include recessed lighting under the eaves, post lanterns near driveway, entrance walk or patio, and garden lights to flatter the beauty of your landscaping.

Hallways—This is the place to be dramatic. If your entrance hall is large, choose a striking chain-suspended design. If it's small, give it the warm, decorative touch of wall brackets, and carry these same brackets through long hallways, or use matching ceiling fixtures.

Kitchen—Give yourself plenty of good general lighting with a ceiling fixture (choose a decorative one for flair) or a luminous ceiling. Then add "working area" lighting—under the cabinets, over sink and range. Brighten up your breakfast area with a decorative pulldown, pendant or chandelier.

Bathrooms—The latest trend is to elegance in the bath, so after you have chosen a shadow-free ceiling fixture or luminous ceiling, think of decorative lighting. Select high fashion pendants, wall brackets, coach lanterns or vanity lights to provide wall or mirror lighting. For convenience, add a recessed light over the shower. And pamper yourself with an infrared heat lamp in the ceiling.

Bedrooms—Create a restful atmosphere with soft lighting. Flank dressers with wall brackets or pendants. Use a recessed or shallow ceiling fixture, or select a chandelier for real glamor. Add pulldowns or wall valances for good reading-in-bed light. Use decorative pulldowns in children's rooms. And remember a utility light for every closet.

Family, Living, Dining Rooms—These are the rooms where you can express your decorative flair. After you choose recessed or shallow ceiling fixtures for general lighting, use your imagination to dramatize every area. Chandeliers are back in vogue...so don't be afraid to use them. They do wonders for a room. Select decorative pendants or clusters to flatter furniture groupings or planters. Place striking pulldowns or pendants over reading, dining, conversation areas. Highlight walls, fireplaces, draperies with recessed eyeball spots or wall valances. *There—you've illuminated your home with decorative elegance—and wasn't it easy, and fun?*

Your electrical contractor, lighting showroom decorator, builder or architect will gladly help you plan the lighting for your home.

COORDINATED OUTDOOR LIGHTING

in post, wall, and hanging lanterns

V-2555 • Patina finish, all copper ship's lantern with 3-light cluster. Hand blown amber champagne glass. 8¾″ diameter, 16″ height, 36″ overall length. Three 60 W.

V-7875 • Satin Black and Brass
V-7876 • Satin White and Brass
Crystal clear glass windbreak and etched inner glass chimney. 12″ diameter, 24″ high. One 150 W.

V-7180 • Traditional satin black wall lantern with polished brass trim. Crystal crackle glass diffuser. 9½″ diameter, 24½″ length, 12¾″ extension. One 100 W.

V-7445 • Chain suspended lantern. Scalloped reflector, crystal crackle glass diffuser. Satin black and polished brass trim. 11¾″ diameter, 36″ overall. Three 60 W.

V-7145 • Satin black wall lantern with scallop decoration, polished brass trim, crystal crackle glass diffuser. 11¾″ diameter, 20″ length, 13″ extension. One 100 W.

V-7225 • Amber, green and copper colored textured plastic panels. Satin black hammered cast aluminum setting. 11½″ diameter, 15″ height, 12″ extension. One 100 W.

V-7845 • Satin black scalloped shade accents the crystal crackle glass post lantern. Polished brass trim. 11¾″ diameter, 25″ high. One 100 W.

NOTE: All outdoor lanterns are constructed of weather resistant materials.

V-2555

V-7875



V-7876


the light idea
VIRDEN Lighting
V-7180
V-7445
V-7145
V-7225
V-7845

V-7150

V-7151

V-7200

V-7450

V-7850

the light idea

VIRDEN Lighting

Decorator's Selections in Lanterns of Rare Charm

to please your individual taste and harmonize with your architectural style

V-7156 V-7155

V-2535

V-7455 V-7456

V-7835

V-7836

V-7150 • Wall lantern in hand blown charcoal optic glass. Satin black with polished brass trim. 10″ diameter, 27″ length, 11¼″ extension. Three 60 W.

V-7151 • Antique brass

V-7850 • Elegant 3-light post lantern with charcoal optic glass. Satin black with polished brass trim. 10½″ diameter, 21½″ high. Three 60 W.

V-7450 • Chain hung lantern. Charcoal glass with vertical optics. Satin black with polished brass trim. 10″ diameter, 36″ overall. Three 60 W.

V-7200 • Colonial lantern, antique brass finish. Olive green plastic diffusers with raised concentric circles. Ornamental polished brass inner reflector. 7″ wide, 15″ high, 7¾″ extension. One 100 W.

V-7156 • **Amber** glass hand blown into a black wire cage. Satin black with polished brass trim. 8″ diameter, 23¼″ length, 10″ extension. One 100 W.

V-7155 • Charcoal glass

V-7455 • Chain drop lantern of hand blown **Amber** glass in black wire cage. Satin black with polished brass trim. 8″ diameter, 36″ overall. One 100 W.

V-7456 • Charcoal glass.

V-2535 • Traditional lantern in satin black and polished brass. Charcoal champagne glass hand blown into black wire cage. 10⅜″ diameter, 36″ overall length. Three 60 W.

V-7836 • Satin black post lantern with polished brass trim. **Amber** glass is hand blown into a black wire cage. 14″ diameter, 18″ high. One 100 W.

V-7835 • Charcoal glass

NOTE: All outdoor lanterns are constructed of weather resistant materials.



V-672 V-673 V-674

V-7773 V-7775

V-7230

V-7231

V-7800

V-7125 V-7128 V-7127

V-872

V-873

NOTE: ALL OUTDOOR LANTERNS ARE CONSTRUCTED OF WEATHER RESISTANT MATERIALS

the light idea

distinctive outdoor lighting creations in exotic glasses and finishes

V-970 V-971

V-7815

V-7910

V-7930

V-7830

V-7841

V-672 • Forged Iron
V-673 • Black
V-674 • Antique Copper
Forged iron ceiling light. Cast aluminum, black or antique copper, weathered finishes. Simulated handmade crackled glass panels. 9½" square, 3½" deep. Two 60 W.

V-7773 • Black and Brass
V-7775 • Forged Iron
Forged iron wall bracket to match ceiling unit. Simulated handmade crackled glass panels. Cast aluminum with black and polished brass, or forged iron finish. 7" square, 8½" high. One 100 W.

V-7230 • Traditional colonial wall lantern. Satin black aluminum casting, polished brass trim. Frosted glass panels. 11½" length, 11½" extension. One 100 W.

V-7231 • Matching traditional colonial wall lantern with scroll. 11¾" length, 27" spread, 11½" extension. One 100 W.

V-7800 • Traditional colonial post lantern. Satin black aluminum casting, polished brass trim. Frosted glass panels. 10¼" square, 14¾" height. One 100 W.

V-7125 • Satin Black and Brass
V-7128 • Antique Copper
V-7127 • Antique Brass
Wall lantern with hand blown charcoal-colored glass. 7" diameter, 22" length, 9¾" extension. One 75 W.

V-873 • Satin White
V-872 • Satin Black
Colonial post lantern cast aluminum finished in satin white or black, trimmed in polished brass. Frosted glass chimney, clear glass panels. 10½" square, 18" high. One 100 W.

V-970 • Satin Black
V-971 • Satin White
Aluminum carriage light. Polished brass trim. Beveled clear glass panels. 5½" square, 12½" high. One 75 W.

V-7815 • Satin black plastic... post lantern with polished brass trim, bevel plastic panels, frosted glass chimney. 11" square, 18½" height. One 100 W.

V-7841 • Satin black and polished brass contemporary post lantern. White opal glass diffuser. 20" diameter. 13" height. One 100 W.

V-7910 • Contemporary carriage wall lantern. Black with white opal glass and polished brass trim. 13" high, extends 8½", 4¾" backplate. One 75 W.

V-7930 • Matching wall lantern. White opal glass, black and polished brass trim. 9" high, extends 8½". 4¾" backplate. One 75 W.

V-7830 • Tapered ceiling lantern. White opal glass, black top and rods, polished brass base. 8½" high, 7" diameter, 4¾" canopy. One 75 W.

Inspirations in Contemporary and Traditional Decor

your choice of the latest fashions in outdoor lighting for the home

V-7171 • Satin Black and Brass
V-7172 • Antique Copper
Contemporary carriage light with eagle ornament. Polished brass reflector. 6″ square, 23″ length, 9″ extension. One 75 W.

V-7843 • Modern post lantern. Satin black and polished brass trim. Crystal molded glass. 18″ diameter, 18¾″ overall height. One 100 W.

V-7010 • Cast satin aluminum wall lantern with white opal glass. 8½″ diameter, 7½″ length, 9¾″ extension. One 100 W.

V-7410 • Ceiling light in cast satin aluminum and white opal glass. 8½″ diameter, 8½″ length. One 100 W.

V-7960 • Polished Brass and Black
V-7961 • Polished Copper and Black
Contemporary wall lantern. White glass, perforated base. 9″ high, 6½″ x 7¾″. One 75 W.

V-976 • Satin White
V-975 • Satin Black
Carriage lantern in weatherproof aluminum. Beveled clear glass panels, polished brass trim. 7″ square, 16½″ height. One 75 W.

V-7190 • Contemporary wall lantern. White opal glass. Satin aluminum trim. 8″ width, 9⅜″ overall length. 6″ extension. One 100 W.

V-7185 • Satin black coach lantern. Polished brass accents on ornamental castings. Crystal glass with beveled edges. 5½″ square, 18″ length, 9″ extension. One 75 W.

V-7982 • Satin aluminum wall bracket with white opal glass. Matches V-7882. 7″ high, extends 6″. One 75 W.

V-7882 • Satin aluminum ceiling unit with white opal glass. Matches V-7982. 7″ high, 5″ diameter. One 75 W.

V-874 • Modern post lantern. Satin black and brass, satin white ribbed glass. 14″ diameter, 16½″ high. One 100 W.

NOTE: All fixtures shown are constructed of weatherproof materials for outdoor use

V-7171

V-7172

V-7843

United States Gypsum Company Research Village
O'Neil Ford, A.I.A., architect

the light idea

VIRDEN Lighting



V-7010



V-7960

V-7961

V-976

V-975

V-7410

V-7185

V-7882

V-7982

V-7190

V-874

Wall lanterns. Crackled clear glass shade. 7½" height, 6¾" extension. One 75 W.

V-408 • Antique Copper

V-409 • Satin Black

Outdoor Wall Lanterns

to blend with every decor ...contemporary, traditional or transitional

V-7195 • Satin black wall lantern with polished brass trim. Fluted 5" diameter white opal glass. 16½" height, 7½" extension. One 100 W.

V-7047
Satin Black

V-7048 • Satin Copper

Weatherproof aluminum wall lantern. Simulated hand-made glass panels. 7" width, 7" length, 4¾" extension. One 75 W.

OUTDOOR POSTS

*Adjustable outdoor posts telescope from 4' 9" to 7' 6". Standard 3" O.D. Heavy gauge aluminum drilled for conduit.



V-7900 **V-7901** **V-7902** **V-7907** **V-7896** **V-7898** **V-7975** **V-7921** **V-7923** W/"U"-Ground C/O

V-7210 • Antique brass wall lantern with polished brass rosette reflector. Beveled crystal glass. 5½" square, 18" length, 6¾" extension. One 100 W.

***V-7900** • Black, 3" O.D. Adjusts 57" to 90".

***V-7901** • Black, 3" O.D. With ladder bar. Adjusts 57" to 90".

***V-7902** • White, 3" O.D. With ladder bar. Adjusts 57" to 90".

V-7907 • Ornamental wrought iron post. 4" square, 82" high. 3" fitter. Satin black finish.

V-7896 • Colonial satin white post. 3" O.D. Length 80" to 90".

V-7898 • Satin black post with "U"-ground convenience outlet. 3" O.D. Length 80" to 90".

V-7921 • **V-7923**

VIRDEN MIND-O-LIGHT OUTDOOR POST LIGHT CONTROLS. Automatically turn lights on at dusk, off at dawn. Not affected by auto headlights. Safe, economical. Can be over-controlled with house switch. Installs easily on standard 3" post. 300 W. Maximum. Satin black finish.

V-7975 • Mercury vapor adaptor kit. Adapts any single lamp, medium base post lantern for one 75 W. mercury vapor lamp.

V-7353 • Contemporary wall bracket in satin black with polished brass trim. White ceramic glass with clear crystal bottom lens. Height 6½", extends 6". One 75 W.

V-7110 • Wall lantern in satin black and white ceramic glass. 5½" diameter, 7¼" length, 7" extension. One 75 W.

V-7107 • Wall lantern in satin black and polished brass with ribbed white glass diffuser, crystal lens bottom. 7" diameter, 9" extension. One 75 W.

V-7167 • Satin black wall lantern with molded clear fluted glass. 5" diameter, 7⅜" length, 7" extension. One 75 W.



V-7908 • Wrought iron bracket with rustic redwood name sign. Fits all Virden posts. Extends 16½". Sign is 14" x 5½".

NOTE: ALL FIXTURES SHOWN ARE CONSTRUCTED OF WEATHERPROOF MATERIALS FOR OUTDOOR USE

V-7120 • Satin black wall lantern with polished brass accents. Charcoal-colored hand blown glass. 10" diameter, 19" length, 12" extension. One 75 W.

V-7205 • Antique brass coach lantern with polished brass rosette reflector. Beveled crystal glass. 5½" square, 28" length, 8⅛" extension. One 100 W.

The Glamour Touch in Garden and Walk Lighting

garden and driveway lights to accent the beauty of your landscaping

V-7220 • Mediterranean style wall lantern in satin black with polished brass trim. Amber champagne glass hand blown into 5″ diameter metal cage. 14″ length, 7¾″ extension. One 100 W.

V-7630 • Matching portable garden tree light. 12½″ length, 12 foot cord and plug with mounting hook.

V-7600 • Portable garden light. 18″ diam. Fiberglas shade in Tole green and white. 32″ high (with spike). Complete with 12′ cord and plug. Can be permanently installed. One 100 W.

V-7615 • Portable outdoor spotlight to accent trees, etc. Cast aluminum. Complete with 6′ cord, plug and ground spike. Can be permanently installed. 7″ high. One PAR 38 lamp.

V-7951 • Single light swivel for outdoor flood or spotlights. Cadmium plated. One PAR 38 lamp.

V-7952 • Same as V-7951, except double socket swivel. Can be mounted on wall or under overhang. Two PAR 38 lamps.

V-7435 • Weatherproof ceiling lantern. Frosted glass. 9⅛″ square, 3⅜″ deep. Polished Brass. Two 60 W.

V-7436 • Same as V-7435 in Satin Black.

V-7431 • Weatherproof ceiling lantern. Frosted glass. 8″ square, 3⅛″ deep. Satin Black. One 60 W.

V-7430 • Same as V-7431 in Polished Brass.

V-4230 • Charcoal diamond optic glass in satin black metal cage. 9″ diameter, 5″ depth. One 60 W.

V-4231 • Same as above in Amber glass.

V-7640 • Hand blown amber champagne glass garden light in 5″ diameter metal cage. Satin Black with polished brass trim. 17″ high, 14″ diameter shade, 37″ high overall with spike and 12′ cord and plug. One 100 W.

V-7635 • Same as V-7640 but without shade, cord and spike, for mounting to ½″ conduit. 5″ diameter, 14″ high. One 100 W.

V-7605 • Portable garden or driveway light. Louvered, cast aluminum finished in Tole green. Complete with 12′ cord, plug and ground spike. 30″ high (with spike). One 75 W.

V-7606 • Same as V-7605, but without cord and spike, for mounting to ½″ conduit. 8½″ high. One 75 W.

NOTE: All outdoor lanterns are constructed of weather resistant materials.



V-7220

V-7630

V-7600

V-7615

the light idea

VIRDEN Lighting

V-7951

V-7952

V-7435
V-7436

V-7431
V-7430

V-4230

V-4231



V-7635

V-7605

V-7640

V-7606

United States Gypsum Company Research Village
O'Neil Ford, AIA, architect

V-6261 • Polished Copper
V-6260 • Polished Brass
V-6262 • Satin Aluminum
Two-light wall mount adjustable bullets. Perforated reflectors. 9" height, 5" backplate. Three-way switch. Two R-30, 75 W.

V-6200 • Polished Brass
V-6201 • Polished Copper
V-6202 • Satin Aluminum
Perforated downlight. Crystal lens. 5¾" diameter, 7¾" length. One 100 W.

V-5000 • Satin Brass
V-5002 • Satin Aluminum
Surface mounted eyeball. Adjusts 45° from vertical, 358° rotation. 6½" diameter, 6" length. One R-30, 75 W. spot or flood type lamp.

WEATHERPROOF BULLETS WITH PORCELAIN AND COPPER SHELL SOCKETS—FOR USE OUTDOORS OR INDOORS

V-6212 • Satin Aluminum
V-6210 • Polished Brass
Adjustable bullet, end mount. Perforated reflector. 9" length, 5" backplate. On/off switch. One R-20, 30 W. or 50 W.

V-6220 • Polished Brass
V-6221 • Polished Copper
V-6222 • Satin Aluminum
Adjustable end mount bullet. Perforated reflector. 10¾" length, 5" backplate. One R-30, 75 W.

V-6225 • Polished Brass
V-6226 • Satin Aluminum
Adjustable end mount bullet. 12¼" length, 5" backplate. One R-40, 150 W.

V-6250 • Polished Brass
V-6251 • Polished Copper
V-6252 • Satin Aluminum
Adjustable end mount bullets. Perforated reflectors. 10¾" length, 5" backplate. Two R-30, 75 W.

V-6255 • Polished Brass
V-6256 • Satin Aluminum
Adjustable end mount bullets. 12¼" length, 5" backplate. Two R-40, 150 W.

V-6231 • Polished Copper
V-6230 • Polished Brass
V-6232 • Satin Aluminum
Adjustable side mount bullet. Perforated reflector. 9" length, 5" backplate. On/off switch. One R-30, 75 W.

V-6273 • Black louver for bullets using R-30, 75 W. Clips for color lens.

V-6274 • Black louver for bullets using R-40, 150 W. Clips for color lens.

Accent Lighting to Create Unusual Spot Effects...

color variations can be achieved with colored lamps

Decorative and Practical Utility Lighting

ceiling units for safety and convenience in hallways, utility rooms, closets



V-5675 • Suntan reed with polished brass. 6½″ diameter, 8″ length. One 100 W.

Decorated white frosted glass ceiling fixture with polished brass trim. 4″ depth.
V-5065 • 10″ diameter. Two 60 W.
V-5060 • 8″ diameter. One 60 W.

V-5110 • Polished brass gallery around prismatic plastic crystal diffuser. 9½″ diameter, 7″ depth. Two 60 W.

V-5115 • Same as above except with sparkling polished crystal prisms.

V-2808 • Frosted glass ceiling fixture with hand cut design. Polished brass trim. 9″ diameter, 5″ depth. Two 60 W.

V-5045 • Fluted clear glass ceiling fixture. Polished brass trim. 4¾″ diameter, 6″ depth. One 75 W.

V-317 • Clear jewel-like glass ceiling fixture. Polished brass canopy. 6½″ diameter, 6¼″ length. One 75 W.

V-400 • Ivory Luminaire. Strap included. 5¼″ diameter, 3″ depth.

V-5350 • White decorated glass with crystal bottom lens. Polished brass canopy. 6½″ length. One 75 W.

White opal glass ceiling fixture. 10″ dia., 4½″ depth. Two 60 W.
V-4322 • Polished Chromium
V-4320 • Polished Brass

White opal glass ceiling fixture. 7″ dia., 4″ depth. One 60 W.
V-4310 • Polished Brass
V-4312 • Polished Chromium

antique brass, antique copper and brass...mellow walnut wood

V-625 • 15″ dia., 6″ depth. Three 75 W. Opal glass diffuser. Chromium trim.

V-613 • 13″ dia., 5″ depth. Three 60 W.

V-611 • 11″ dia., 5″ depth. Two 60 W.

V-609 • 9″ dia., 5″ depth. Two 60 W.

V-4261 • White opal glass drum light. Walnut panels with polished brass trim. 12½″ diameter, 5¾″ depth. Two 75 W.

V-4085 • Antique Copper

V-4086 • Antique Brass

Handsome, 3-light ceiling fixture. Opal glass diffuser. 17″ diameter, 7″ deep. Three 60 W.

V-4460 • 12″ diameter, 4¾″ depth. Two 60 W.

V-4465 • 16″ diameter, 4¾″ depth. Three 60 W.

Hand blown white opal glass diffuser with perforated polished brass shield.

the light idea

VIRDEN Lighting



V-4047

V-4293

V-4290

V-4058



V-4360

New Decorative Concepts for the Kitchen

...colorful inserts...perforated shades...

V-4047 • White ceramic glass ceiling light. Multi-colored inserts in polished brass trim. 19″ diameter, 5″ depth. Three 60 W.

V-4058 • Walnut ceiling fixture. White ceramic glass diffuser and polished brass trim. 20″ diameter, 5½″ depth. Three 60 W.

V-4290 • Polished Brass

V-4293 • Satin White
Perforated shade. White glass diffuser. 16″ diameter, 5¾″ depth. Three 60 W.

V-4360 • Crystal ice pattern on white glass diffuser. Polished brass trim. 17″ diameter, 6″ depth. Three 60 W.

Beauty and function combined in modern lighting for kitchen work areas

V-4673
14″ diameter.
Three 60 W.

V-4672
11″ diameter.
Two 60 W.

Suntan reed interwoven with brass strands. Crystal beaded glass. Polished brass trim. 5″ depth.

V-4553 • Satin Black and Brass

V-4554 • Antique Brass

V-4555 • Antique Copper

Shallow 17″ diameter reflector. White glass diffuser. 5¾″ depth. Three 60 W.
V-4550 • Polished Brass
V-4551 • Polished Copper



V-4102 **V-4111** **V-4120**

Molded opal glass diffuser. Perforated metal sides. Variety of wattages.

Fixture No.	Size	Polished Finish	Watt Cap.
V-4100	6″ x 4½″	Brass	One 60 W.
V-4101	6″ x 4½″	Copper	One 60 W.
V-4102	6″ x 4½″	Aluminum	One 60 W.
V-4110	8″ x 4½″	Brass	One 100 W.
V-4111	8″ x 4½″	Copper	One 100 W.
V-4112	8″ x 4½″	Aluminum	One 100 W.
V-4120	10″ x 4½″	Brass	One 150 W.
V-4121	10″ x 4½″	Copper	One 150 W.
V-4122	10″ x 4½″	Aluminum	One 150 W.

the light idea

V-4340

V-4352

V-4350 • Polished Brass
V-4351 • Polished Copper
V-4352 • Polished Aluminum
Circular lines decorate white ceramic glass diffuser. 12½" diameter, 4½" depth. Three 60 W.

V-4340 • Polished Brass
V-4341 • Polished Copper
V-4342 • Polished Aluminum
9½" diameter, 4" depth. Two 60 W.

V-4019
Polished Chromium

V-4018 • Polished Brass

White ceramic glass sunburst design. Perforated reflector. 20" diameter, 6½" depth. Three 60 W.



V-4620 • 12⅝" square.
Two 100 W.

V-4610 • 10⅝" square.
Two 60 W.

V-4600 • 8⅝" square.
Two 60 W.



V-4660 • 12⅜" diameter.
Two 100 W.

V-4650 • 10⅜" diameter.
Two 60 W.

V-4640 • 8⅜" diameter.
Two 60 W.

Hand blown white opal glass **square** and **round** fixtures. Fit flush to ceiling. 4¾" deep.

Photo I-XL Custom-Crafted Kitchens

Decorative and Functional Designs for general illumination

excellent ideas for kitchen, laundry, workshop, recreation room... wherever you need good working light...incandescent or fluorescent

V-4032
Antique
Brass

V-4033
Antique
Copper

Scalloped reflector with pinpoint perforations. White glass diffuser. 20″ diameter, 5″ depth. Three 75 W.

V-810 • 10″ diameter. Two 75 W.
V-808 • 8″ diameter. Two 60 W.
Maple wood spokes, decorated ivory glass with louvered crystal bottom. 5½″ depth.



V-6952 • One 20 W. pre-heat fluorescent lamp.
V-6953 • One 20 W. Quick Start fluorescent lamp.
Under-cabinet light for counter top illumination. White baked enamel finish. Styrene diffuser. 2¾″ wide, 24″ long, extends 5″. "U" ground c/o and switch.



V-6850 • 12¼″ length 8 W. fluorescent.
V-6851 • 18″ length 15 W. fluorescent.
Under cabinet light. Baked white enamel. White plastic shield. 4⅞″ fixture extension, 1¼″ fixture thickness. W/U ground. With 6 foot cord and plug. Momentary contact on/off switch.

the light idea

VIRDEN Lighting

FLUORESCENT FOR HIGH LEVEL ILLUMINATION
One piece wrap-around diffuser with a clear prismatic lens bottom and refracting lens side. Low surface brightness, light stable polystyrene. White end caps. Unit is 15½″ wide, 3″ deep.

V-4742 • Length 25″. 4—F20T12 lamps.

Diffuser has reinforced metal frame, hinged for easy relamping



V-710

V-708

V-706

Molded white glass, crystal bottom louver. Chromium trim.

V-710 • 10″ dia., 5¼″ depth. Two 75 W.
V-708 • 8″ dia., 5″ depth. Two 60 W.
V-706 • 6″ dia., 4¾″ depth. One 60 W.

V-4970 • White plastic diffuser for use with center mounted 2-lamp circline fixture. Diameter 21½″, depth 5½″.



V-4963

V-4953

V-4943
V-4945
V-4946

V-4933
V-4935

40-32-22 W fluorescent. 11¾″ dia., 4⅜″ depth.
V-4963 • Chromium

40-32 W fluorescent. 11¾″ dia., 3⅞″ depth.
V-4953 • Chromium

32-22 W fluorescent. 11¾″ dia., 4⅜″ depth.
V-4943 • Chromium
V-4945 • White Enamel
V-4946 • Polished Copper

32 W fluorescent. 11¾″ dia., 3⅞″ depth.
V-4933 • Chromium
V-4935 • White Enamel

A St. Charles Kitchens design

Clear light stable styrene diffuser. Linear refracting lens top and bottom. Polished chromium end caps. Can be mounted singly or continuous row with joiner strip shown. Extends 5½".

CATALOG NO.	SIZE	BALLAST AND LAMPS*	OTHER SPECIFICATIONS
V-6924	24 9/16" x 4¼"	QS-LPF-UL 2F20T12	No outlet or switch
V-6925	24 9/16" x 4¼"	QS-LPF-UL 2F20T12	"U" Ground outlet; switch
V-6934	36 9/16" x 4¼"	RS-HPF-UL 2F30T12	No outlet or switch
V-6935	36 9/16" x 4¼"	RS-HPF-UL 2F30T12	"U" Ground outlet; switch
V-6940	48 9/16" x 4¼"	RS-LPF-UL 1F40	No outlet or switch
V-6941	48 9/16" x 4¼"	RS-LPF-UL 1F40	"U" Ground outlet; switch
V-6944	48 9/16" x 4¼"	RS-HPF-CBM 2F40	No outlet or switch
V-6945	48 9/16" x 4¼"	RS-HPF-CBM 2F40	"U" Ground outlet; switch
V-6948	96 9/16" x 4¼"	RS-HPF-CBM 2F40 Tandem	No outlet or switch

*Lamps not included. Knockouts for switch and c/o.



V-6910 • Joiner Strip. Chromium. For continuous row mounting of fixtures V-6924 through V-6948.

Chromium Fluorescent Unit. 4½" width. 3" depth. "U" ground outlet and switch.

V-6816 • 21" length. 15 W. With starter.

V-6817 • 21" length. 15 W. Q.S.

V-6821 • 27" length. 20 W. With starter.

V-6822 • 27" length. 20 W. Q.S. (Lamp not included)

Polished Chromium Strip. 2¾" width. K.O. for switch. and "U" ground c/o.

V-6962 • 24" length. One 20 W. Q.S. lamp.

V-6963 • 36" length. One 30 W. R.S. lamp.

V-6964 • 48" length. One 40 W. R.S. lamp. (Lamp not included)

V-6960 • Chromium plate to cover 4¼" diameter outlet box.

V-7185 • Satin black coach lantern with polished brass accents on ornamental castings. Crystal glass with beveled edges. 5" square, 18" overall length, 7" extension. One 75 W.

Chromium Snap-On Adjustable Reflector

V-6971 • 18" length For 15 W. Fluorescent

V-6972 • 24" length For 20 W. Fluorescent

V-6973 • 36" length For 30 W. Fluorescent

V-6974 • 48" length For 40 W. Fluorescent

V-9191 Joiner band Chromium

Clip-on, ribbed white plastic shield

V-9610 • For 15 W. strip.
V-9612 • For 20 W. strip.
V-9613 • For 30 W. strip.
V-9614 • For 40 W. strip.

V-9190 End plate. Chromium (Includes pair)

the light idea

VIRDEN Lighting

...New Designs to add a touch of elegance to your bathrooms



Decorative white glass with crystal stipple. Chromium trim. 4½" width. Extends 5".

V-6421 • 16" long. "U" ground c/o. 2-60 W.
V-6422 • 16" long. Switch, "U" ground c/o. 2-60 W.
V-6441 • 24" long. "U" ground c/o. 4-60 W.
V-6442 • 24" long. Switch, "U" ground c/o. 4-60 W.
V-6461 • 36" long. "U" ground c/o. 6-60 W.
V-6462 • 36" long. Switch, "U" ground c/o. 6-60 W.

V-6563 • White glass diffuser on chromium-tipped walnut wood panel. 5¼" width, 22" length, 4½" extension. Switch and "U" ground convenience outlet. Two 75 W.



White ceramic glass, crystal bottom. Chromium holder. 11½" length, 5½" width, extends 5".

V-6455 • "U" ground c/o. Two 60 W. with switch K.O.

V-6457 • C.O. and Push Switch. Two 60 W.

White ceramic glass, crystal bottom. Chromium holder. 9" extension. 6" width.

V-6609 • One 75 W.

V-6610 • "U" ground c/o. One 75 W.

V-6611 • "U" ground c/o. On/off switch. One 75 W.

White opal glass double cone wall bracket. 16½" length; 4½" backplate; 6" extension. Two 75 W.

V-6445 • Chromium. Push switch and "U" ground c/o.

V-6446 • Polished brass. Push switch.

Wall bracket of ceramic white glass with beaded design. 5½" diameter backplate, 18" length; 4" extension. Two 75 W.

V-6556 • Chromium. "U" ground c/o.



***V-6730** • Complexion light in polished brass and spray brass for horizontal or vertical mounting. 4¼″ width, 24″ length, 4″ extension with lamps. Four 25 W. candelabra base (G-16½ c/w) lamps. Outlet box cover plate included.

***V-6735** • Decorative glass complexion light for horizontal or vertical mounting. 4¼″ width, 24″ length, 4″ extension with lamps. Four 25 W. candelabra base (G-16½ c/w) lamps. Outlet box cover plate included.

*Lamps not included.

V-6322

Decorated white glass. 8″ length, 4½″ extension.

V-6322 • Crystal bead design. Chromium trim. C/o. Turn switch. One 75 W.

V-6320 • Gold bead design. Polished brass trim. Turn switch. One 75 W.



V-6551 • Chromium wall bracket with crystal bead glass design. 4¾″ backplate diameter, 13″ length. 5″ extension. "U" ground c/o. One 75 W.

V-6590 • Wall fixture with white opal globes. Walnut panel, satin aluminum trim. 5⅜″ diameter globes, 21″ length, 6¾″ extension. "U" ground c/o and on/off switch. Three 75 W.



Beauty for the Bath

fashion's newest fancies in elegant creations to enhance your decor

the light idea

VIRDEN Lighting



V-6641
33″ length
6-60 W.

V-6636
23″ length
4-60 W.

Ceramic white diffuser with amber ice decoration and polished brass trim. Chrome backplate. 5¾″ width, 4″ extension. "U" ground and K.O. for switch.

V-6631
13½″ length
2-60 W.

V-6572 • Wall bracket. White glass diffuser on walnut wood framed with satin aluminum. 5⅜″ width, 21″ length, 4¼″ extension. Switch and "U" ground convenience outlet. Two 75 W.



V-6650 • Traditional wall bracket. Black wire cage and hand-blown white opal glass inside. 4½″ diameter, 14″ length, 6½″ extension. On/off switch. Two 75 W.



V-6580 • Ribbed white ceramic glass. Chromium trim. 9″ length. 3¾″ diameter, 4¾″ extension. "U" ground c/o. On/off switch. One 75 W.

V-6155 • Chromium wall bracket with scalloped white opal glass shade. 5¾″ diameter, 9½″ length, 8″ extension. On/off switch and "U" ground c/o. One 75 W.

V-6165 • Ribbed white opal glass wall bracket with antique brass castings. 4¼" diameter, 28" length, 5½" extension. On/off switch. Two 100 W.

V-6549 • Antique White and Gold

V-6546 • Antique Pewter

Wall bracket of swirled white opal glass. 4" diameter, 16" length, 6" extension. On/off switch. "U" ground c/o. Two 75 W.

V-1114 •
Antique White and Gold

V-1113 •
Antique Brass

White ribbed glass with sculptured castings. Length 36" overall, height 20", diameter 4¾". One 100 W.

V-6160 Antique Brass
V-6161 Antique White and Gold

Vertical wall bracket in ribbed white opal glass. 4¼" diameter, 19" length, 7¼" extension. On/off switch. One 100 W.

V-6160
Antique Brass

V-6161
Antique White and Gold

the light idea

VIRDEN Lighting

Antique Filigree Elegance...

milk white opal glass

in settings of white and gold, pewter or brass

V-6530 • Polished Brass

V-6528 • V-6529*
Antique White and Gold

White opal glass wall bracket, 6" width, 12" length, 5" depth. One 75 W. *"U" ground c/o.



V-6536*
Antique Pewter

V-6537 • V-6538*
Antique White and Gold

White opal glass diffuser, cast frame. 5½" width, 20" length, 5" depth. Two 75 W. *"U" ground c/o.

V-6535 • Polished Brass

Photo I-XL Furniture Company

V-6570 • V-6571*
Antique White and Gold

V-6566**
Antique Pewter

V-6570 • White glass diffuser in cast filigree frame. 6" width, 19½" length, 4" extension. Two 75 W.

***V-6571** • Same as V-6570 except with "U" ground c/o.

****V-6566** • Same as V-6570 except with on/off switch and "U" ground c/o.

V-6540 • Swirled white opal glass diffuser set in polished brass. 4½" diameter, 13" length, 7⅛" extension. On/off switch. One 75 W.
*W/"U" GROUND

Designed to project an illuminating dimension in your Bedroom Decor

V-3276



V3247

V-3248

V-3276 • Crystal ice and white pattern, around this reverse bent glass. Chromium trim. 18″ diameter. Four 60 W.

V-3247 • Maple Wood
V-3248 • Walnut Wood
Charming Early American design in rich maple or walnut wood and white ceramic glass. Polished brass trim. 17″ square. Four 60 W.

V-3167 • 16″ square. Four 60. W.
V-3166 • 14″ square. Four 60 W.
V-3165 • 12″ square. Two 60 W.
Animated leaf design in 14 Kt. gold on white glass. Polished brass trim.

V-3255 • Crystal hobnail pattern on undulating white fluted glass. Polished brass trim. 15″ diameter. Three 60 W.

V-3167 V-3166 V-3165

V-3255

the light idea



V-3268



V-3230



V-3118



V-3114

V-3226
V-3224



V-3258

V-3263

V-714

contemporary, transitional, traditional lighting styles

V-3268 • Elliptical design on crystal outer glass. Inner glass ceramic white. Polished brass trim. 19″ diameter. Four 60 W.

V-3118 • Simulated cut glass design. Polished brass trim. 18″ diameter. Four 60 W.

V-3226 • 16″ square
V-3224 • 14″ square
Floral crystal design etched on white ceramic glass. Polished brass trim. Four 60 W.

V-3263 • Fine line etched crystal design on white bent glass. Polished brass trim. 17″ diameter. Four 60 W.

V-3230 • Linen patterned white bent glass. Polished brass trim. 16″ square. Four 60 W.

V-3114 • Amber ice decoration on ceramic white glass. Polished brass trim. 14″ square. Three 60 W.

V-3258 • Crystal ice design on white glass. Polished brass trim. 15″ diameter. Three 60 W.

V-714 • Modernistic design on white glass. Polished brass trim. 14″ square. Two 60 W.



V-3253



V-3271

V-3270



V-3135

V-3185

V-3214



V-3265

V-614
V-512

V-1615

decorated bent glass . . . in shapes and designs to blend with contemporary

V-3253 • Crystal swirl pattern on white glass. Polished brass trim. 13″ diameter. Two 60 W.

V-3135 • Crystal ice design on white glass with scalloped edges. Polished brass trim. 13″ diameter. Two 60 W.

V-3214 • Crystal beaded design, simulated cut pattern. Polished brass trim. 14″ diameter. Two 60 W.

V-614 • 14″ square. Four 60 W.
V-512 • 12″ square. Two 60 W.
French white glass with clear crystal etching. Brass trim.

V-3270 • Amber Iced
V-3271 • Crystal Iced
Iced oval design on white glass. Polished brass trim. 19″ diameter. Four 60 W.

V-3185 • Sandblast white glass with geometric etched design. Polished brass trim. 16″ square. Four 60 W.

V-3265 • Crystal beaded design on white ceramic glass. 18″ diameter. Four 60 W.

V-1615 • Clear glass design on white etched glass. Brass accent. 15″ diameter. Three 60 W.

the light idea

V-3216

V-3819

V-3250



V-3517
V-3515

V-3236

V-4485



V-3719

V-3170

or traditional decor...soft light for bedrooms, living and dining rooms

V-3216 • Etched design on white bent glass. Polished brass trim. 16″ square. Four 60 W.

V-3250 • Fluted glass styling on white bent glass. Polished brass trim. 13″ diameter. Two 60 W.

V-3236 • Silver beaded sunburst design on white glass with polished brass trim. 16″ square. Four 60 W.

V-3719 • Swirl etched design on white glass. Polished brass trim. 19″ diameter. Four 60 W.

V-3819 • Sunburst effect created by thousands of gold bead diffusers. White inner bowl. Polished brass trim. 19″ diameter. Four 60 W.

V-3517 • 17″ diameter. Four 60 W.
V-3515 • 15″ diameter. Three 60 W.
Satin finished white glass rimmed with polished brass.

V-4485 • Gold beaded glass shade topped by a slotted polished brass reflector. White ceramic glass diffuser. 19″ diameter. 5″ depth. Three 60 W.

V-3170 • White glass with gray simulated cut design. Polished brass trim. 12″ square. Two 60 W.

SPREADER KITS

V-1697 • Three-in-line 27″ walnut spreader. 13½″ between cords. Polished brass canopy.

Sophisticated Pendants for the ultimate in decorative elegance

V-1835 • Sand color reed and brass strands. Polished brass canopy, white plastic cord. 5½″ diameter, 12″ height, 64″ overall length. One 100 W.

V-1980 • Cord suspended contemporary design. Satin black with 5″ diameter amber champagne glass globe. 17″ height, 63″ overall length. One 40 W. flame shape lamp or R-20 30W. or 50W.

V-1977 • Same except with crystal champagne glass.

V-1190 • Perforated polished brass cone. White interior finish. Opal glass diffuser with open bottom for easy relamping. Polished brass canopy, white plastic cord. 10½″ diameter, 12″ high. Adjusts to 63″ overall. One 100 W.

V-1938 • Transitional, cord suspended, multifaceted clear plastic globe with brass trim. 12″ diameter, 63″ overall length. One 100 W.



V-1930 • White opal glass, polished brass. White plastic cord. 7″ diameter, 14″ high, 64″ overall length. One 100 W. white or colored lamp.

the light idea

VIRDEN Lighting

V-1696 • Two-in-line walnut spreader. 14″ between cords. Polished brass canopy.

V-1698 • Three-light 18″ walnut spreader. 9″ from center to cord. Polished brass canopy.

Walnut wood spreaders enable you to achieve a variety of interesting decorative effects. Kits include polished brass canopy for use with cord-suspended pendants illustrated.

V-1675 • Sand color reed with interwoven brass strands. White opal glass diffuser. Polished brass canopy, white plastic cord. 10½″ diameter, 11″ height, 61″ overall length. One 100 W.

V-1941
Ruby swirl

V-1942
Green and amber swirl

V-1943
Blue, green, amber swirl

Rainbow colors melted into opal, hand blown glass. Polished brass trim. Cord suspended contemporary. 6⅜″ diameter, 16½″ length. Adjusts to 65″ overall. One 100 W.

V-1935 • Brown stippling and pierced diamond patterns on egg-shell white ceramic. Walnut top, brass canopy, white plastic cord. 7″ diameter, 17″ high, 58″ overall length. One 100 W. white or colored.

V-1165 • White glass, striped with crystal lines. White plastic cord, polished brass trim. 7¾″ diameter, 12″ high. Adjusts to 63″ overall. One 100 W.

V-1195 • Polished brass with white glass diffuser. 6" diameter, 25½" height, 36" length. One 100 W.

V-2550 • Amber, green and copper colored textured plastic panels in satin black hammered cast aluminum setting. 11½" diameter, 16½" height, 36" overall length. One 100 W.

V-1627 • Charcoal **V-1628** • Amber 12" diameter x 21½" high. 100 W.
V-1624 • Charcoal **V-1625** • Amber 10" diameter x 19½" high. 100 W.
V-1621 • Charcoal **V-1622** • Amber 8" diameter x 15½" high. 60 W.
Sculptured beauty. Striking vertical optic glass with horizontally lined white glass inner cylinder. Ornamental antique brass castings. On/off switch. Length adjusts to 36" overall.

the light idea

VIRDEN Lighting

Colorful Pendants

... sparkling new forms for exciting decorative appeal



V-2525 • Contemporary chain pendant with walnut wood grain styrene in polished brass setting. Elliptical white opal glass diffuser. 9″ diameter, 27″ height, 36″ overall length. One 100 W.

V-2541 • Mediterranean style lantern. Hand blown amber champagne glass inside satin black cage. Polished brass trim. 5″ diameter, 14″ height, 36″ overall length. One 100 W.



V-1937 • Hand blown white opal glass inside traditional satin black wire cage. 4½″ diameter, 14″ height, 62″ overall length. One 100 W.

V-2530 • Iridescent prismatic crystal glass sparkles in a traditional setting of polished brass ornamental castings. 8″ diameter, 16″ height, 36″ overall length. One 100 W.

V-2531 • Same as V-2530 with iridescent amber glass.

V-1965 • Six walnut arms around a white glass, striped with crystal lines, suspended by a polished brass chain. 10½″ diameter, 36″ overall. One 100 W.

V-1966 • 20″ diameter, 30″ height. One 150 W.
V-1963 • 16″ diameter, 26″ height. One 100 W.
Walnut wood with polished brass accents surrounding a white opal glass globe. Polished brass chain and canopy. 10″ globe diameter, 36″ overall length.

V-1961 • Walnut panels with polished brass accents surround a pure white opal glass globe. Polished brass chain and canopy. 12″ diameter, 36″ overall. One 100 W.

the light idea

VIRDEN Lighting



V-1969 • Walnut panels on a polished brass ring surround a pure white glass shade. 6½" diameter, 36" overall. One 100 W.

V-1968 • Walnut wood with polished brass, enclosing a white opal glass cylinder. 10" diameter, 28" height, 36" overall length. One 100 W.

Contemporary Elegance... the smooth sophistication of mellow walnut wood in stunning new shapes

Milk white opal glass surrounded by warm walnut wood formed with a cabinetmaker's care gives new distinction to contemporary or transitional decor.

V-1168

V-1167

Hand blown glass with melon shaped optics. Richly ornamented castings. Diameter 12¾", length 36". One 100 W.

V-1167 • White opal satin etch glass. Gold and antique white finish.

V-1168 • Red glass. Antique brass finish.

V-1113
Antique Brass

V-1114
Antique White and Gold

White ribbed glass with ornamental castings. 5" diameter, 20" high, adjusts to 36" overall. One 100 W.

V-1678 • Hand painted rose design on pearlescent glass. Polished brass with maple wood turnings. 13½" high, 5½" diameter. Length adjusts to 36" overall. One 100 W.

V-2411 • Amber champagne vertical optic glass with polished brass trim. Transitional style. 12" diameter, 17½" height, adjusts to 36" overall. One 150 W.

Exotic Elegance

...excitement in texture and color
...distinctive decorator accents
for any room

V-1712 • 12″ diameter, 10″ globe. One 150 W.

V-1710 • 10″ diameter, 8″ globe. One 100 W.

DRAPE CHAIN KIT—Includes ceiling hooks, 14 ft. chain, 15 ft. cord with plug and on/off switch. Converts any chain suspended fixture to any ceiling location without ceiling outlet. (Fixture not included.)

V-1684 • Polished Brass
V-1686 • Satin Black

V-1171 • Hand blown amber glass surrounded by sculptured polished brass finish arms. 10½″ diameter, 18″ high, adjusts to 36″ overall. One 100 W.

Scroll castings finished in antique white with gold speckle. Inner white opal diffusing globe. Length 36″.

V-1680 • Polished Brass
2-ARM SPREADER KIT—Includes canopy and spreader arms for attaching 2 individual cord or chain suspended fixtures. 18½″ width.

V-1681 • Polished Brass

3-ARM SPREADER KIT—Includes canopy and spreader arms for attaching 3 individual cord or chain suspended fixtures. 18½″ diameter.

Authentic Reproductions

in the Early American tradition
...crafted in glowing antique finishes

V-1777
Antique Copper

V-1776
Antique Brass

Hand-blown milk white hobnail glass chimney; metal shade, smoke bell, oil font and switch. 17½″ diameter. Length adjusts to 36″ overall. 3-way switch for 50-100-150 W.

V-1132 • Antique Brass

V-1133 • Antique Copper

Contemporary pulldown with scalloped edge, perforated sides. White ceramic glass diffuser. 20″ diameter. Adjusts 22″ to 48″. 3-way switch. Three 75 W.

the light idea

Victorian Elegance

...creating an atmosphere of 19th Century charm



V-1774
Milk white hobnail glass.
Antique Brass.

V-1773
Cranberry "coin dot" glass.
Polished Brass.

V-1775
Milk white hobnail glass.
Polished Brass.

Hand-blown glass shade and satin white chimney. 15½" diameter. Length adjusts to 36" overall. 3-way switch for 50-100-150 W.

hobnail and cranberry coin dot glass add a gay note to traditional decor



V-1751 • Ranch style ceiling lantern. Polished copper and rusty iron finish. Frosted glass chimney. Diameter 12½", length 14". One 100 W.



V-1761 • Pull down. Adjusts 26" to 52".

V-1781 • Chain Suspended Adjusts to 36".

Authentic Early American lantern. Polished copper and rusty iron with white opal glass chimney. 16" diameter. Three-way switch for 50-100-150 W.

V-1721 • Traditional pulldown. Finished in polished copper and rusty iron. Diameter 12½". Adjusts 23" to 52". One 100 W.



Photo I-XL Custom-Crafted Kitchens

the light idea

VIRDEN Lighting

V-1731 • Polished Copper and Rusty Iron

V-1730 • Antique Copper

Hanging lantern in gracefully curved traditional style, for family, dining, or recreation room. 12½" diameter. Chain suspended, adjusts to 36". One 100 W.

V-1964 • CEILING TRACK
For any Virden pulldown. 6 ft. extruded aluminum track, satin white finish. Complete with cord and canopy. Enables pulldown to be moved to any ceiling location on track. (Fixture not included.)

Ranch Style

warm glow of welcome for family room, kitchen, dinette

*V-1185 • Antique Copper
V-1186 • Antique Brass
Reel adjusts 26" to 53".

V-1785 • Antique Copper
*V-1786 • Antique Brass
Chain suspended adjusts to 36".

Ranch style lantern in antique brass or copper, reel or chain suspended. 17" diameter pierced reflector. Opal glass chimney. Three-way switch for 50-100-150 W.

*Illustrated models.

Ranch Style Originals

gracefully scalloped designs in
antique copper with brass trim . . .
to harmonize with Ranch Style decor in dining,
living, family or recreation rooms



V-4374 • Antique copper ceiling light with brass trim. White glass diffuser. 17½" diameter, 10" extension. Four 60 W.



V-2334 • Chain Suspended. 36" Overall.

V-1574 • Pulldown
***V-1564** • Pulldown

Antique copper with brass trim. White opal glass chimney. 17½" diameter, 23" fixture height. Pulldown adjusts 33" to 64". 3-way switch. 50-200-250 W.

***V-1564** • Pulldown has full range dimmer control. 300 W. maximum.

Photo I-XL Custom-Crafted Kitchens

V-2324 • Antique copper 3-light chain suspended lantern with brass trim. Frosted chimneys with crystal clear top. 22½" diameter, 36" overall height. Three 75 W.

V-2064 • Three-chain suspended lantern in antique copper with brass trim. Frosted chimney with clear crystal top. 13" diameter, 17½" overall height. One 75 W.



V-6364 • Antique copper wall bracket with brass trim. Frosted chimney with clear crystal top. 12½" high, 8" extension. On/off switch. One 75 W.

Dramatic Pulldown Versatility ... for Dinettes

wide choice of designs
to compliment any decor



V-1210 • Pulldown of stained redwood panels and polished brass. Ceramic white glass diffuser. 21½″ diameter, adjusts 22″ to 60″. 3-way switch. Three 60 W.

V-1118 • Perforated polished brass pulldown. Decorated bent glass diffuser. 20″ diameter. Adjusts 21″ to 51″. 3-way switch. Three 75 W.
V-1119 • Polished Chromium.

V-1147 • White ceramic glass pulldown bordered with multi-colored inserts. Walnut stem, polished brass trim. 19″ diameter. Adjusts 23″ to 52″. 3-way switch. Three 60 W.

the light idea

VIRDEN Lighting

V-1958

V-1672
V-1673

V-1161

V-1958 • Walnut wood and polished brass pulldown. White ceramic glass diffuser. Adjusts 22″ to 48″. 20″ diameter. 3-way switch. Three 75 W.

V-1672 • Contemporary pulldown. Suntan reed interwoven with brass strands. Satin white styrene diffuser. Brass finish. Adjusts 20″ to 43″. 17″ diameter. On/off switch. Two 60 W.
V-1673 • 22″ dia. 3-way switch. Three 60 W.

V-1161 • Pulldown with crystal iced glass top and clear prismatic lens bottom. Light radiates both up and down. Polished brass with walnut knob. 21″ diameter. Adjusts 19″ to 48″. 3-way switch. Three 60 W.

Interiors by Harold Holtz, AID, for L. S. Ayres
The Perkin & Wills Partnership, architects

V-1120 • Polished brass and white pendant. Center spot lens reflects light both up and down. 20″ diameter. Adjusts to 36″ overall. One 150 W.

V-1464 • Polished brass slotted shade with gold beaded white glass diffuser. Walnut stem. 19″ diameter. Adjusts 22″ to 49″. 3-way switch. Three 60 W.

Contemporary white opal glass globe with polished brass trim. Cord suspended.

V-1954
14″ diameter
65″ overall length
One 200 W.

V-1952
12″ diameter
63″ overall length
One 150 W.



V-1226 • Two white ceramic glass diffusers separated by pierced brass shielding ring. Distributes light up and down. Polished brass finish. Walnut stem. 20″ diameter. Adjusts 18″ to 54″. 3-way switch. Three 60 W.

V-2510 • Traditional styled. Amber textured plastic shade with satin brass gallery. 22″ diameter with 10″ white opal glass globe. 15″ height, 36″ overall length. One 100 W.

the light idea

VIRDEN Lighting

Decorative Variations in Design

versatile pulldowns

can be raised or lowered

at the flick of a finger

V-1553
Satin Black and Brass



V-1554
Antique Brass

V-1555
Antique Copper

Pierced metal pulldown with white ceramic glass. 17″ diameter. Adjusts 22″ to 49″. 3-way switch. Three 75 W.
V-1551 • Polished Copper
V-1550 • Polished Brass



V-2520 • Tiffany style. Multi-colored glass shade. Antique brass trim. 20″ diameter, 9″ height, 36″ overall length. One 100 W.



V-1215 • Transitional pulldown with ruby textured metal shade and satin black decorative gallery. Ceramic white diffuser. 21″ diameter, adjusts 19″ to 58″. 3-way switch. Three 60 W.

V-2345 • Glittering like the crown jewels, this elegant five-light chandelier displays chains of sparkling crystals and prism-cut crystal drops. Over a dining table, in entrance hall or living room, it radiates enchantment. Lustra-Gold trim. 18½″ diameter, 36″ height. Five 25 W. or 40 W. clear candelabra base lamps.



Crystal Chandeliers... Ultimate in Elegance

sparkling jewel-like hand cut
and polished crystal drops
and lustrous golden finish
reflect light in every direction
...lending an air of enchantment
to your table setting

the light idea

VIRDEN Lighting



V-2340 • A touch of brilliance for dinette or boudoir, sparkling as a diamond tiara. Three candle-like lights are encased in a gracefully curved Lustra-Gold setting, with cut crystal drops reflecting light in all directions. 8¾″ diameter, 36″ height. Three 25 W. or 40 W. clear candelabra base lamps.

V-6700 • Matching crystal wall bracket to coordinate lighting decor throughout living room, dining room, hallways. Sparkling crystal chains and elegant prism-cut crystal drops in Lustra-Gold setting. 12½″ width, 10″ height, 7¼″ extension. Two 25 W. or 40 W. clear candelabra base lamps.

V-2350 • A crystal chandelier worthy of any palace or to add elegance to any home. Six candelabra lights surrounded by a galaxy of sparkling crystal chains and pear-shaped crystal drops. Magnificent for dining room, living room—does wonders for a large bedroom or entrance foyers. Lustra-Gold finish. 21¼″ diameter, 36″ height. Six 25 W. or 40 W. clear candelabra base lamps.

Courtesy of Illinois Shade Mfg. Co.

The Sparkle of Crystal... the Gleam of Gold

magnificent jewel-like creations
accented by touches of Satin Black and Lustra-Gold
to create lighting of distinction

V-2341 • Exquisitely designed 3-light chandelier in the Florentine manner. Sparkling clear crystal prisms drop from delicately wrought black metal leaves. Gleaming Lustra-Gold accents add elegance. 8¾″ diameter, 36″ height. Three 25 W. or 40 W. clear candelabra base lamps.

V-2346 • Formal elegance in a glittering five-light crystal chandelier with cut crystal chain and many-faceted crystal drops. Instantly glamorizes a living or dining room, bedroom or entrance hall. Lustra-Gold and black finish. 18½″ diameter, 36″ height. Five 25 W. or 40 W. clear candelabra base lamps.

the light idea

VIRDEN Lighting

Glittering Matching Crystal Ensemble

... designed to coordinate your lighting decor throughout the room ...or from room to room



V-2351 • Old World elegance is personified in this magnificent six-light crystal chandelier surrounded with glittering crystal chains and diamond-like cut crystal drops. Gives any large room the ultimate touch of distinction. Lustra-Gold and black finish. 21¼" diameter, 36" height. Six 25 W. or 40 W. clear candelabra base lamps.

V-6701 • Matching crystal wall bracket with two candle-like lights and graceful cut crystal chains enhanced by eight jewel-like crystal drops. Ideal on both sides of buffet, doorway, window, paintings, or along hallways. Lustra-Gold and black finish. 12½" width, 10" height, 7¼" extension. Two 25 W. or 40 W. clear candelabra base lamps.

Candelabra Charm

...in the colonial Williamsburg tradition

V-4017 • Sparkling crystal chandelier. Two tiers of wood-polished cut crystal prisms. Matching glass bowls. Perforated brass galleries. 17″ diameter, 12¾″ height. Four 60 W.

V-2425 • Colonial Williamsburg style 6-light candelabra in polished brass. 25″ spread, body 15½″ high, 36″ overall length. Six 25 W. or 40 W. candelabra base lamps.

V-1015 • Cut crystal prisms, wood-polished, surround a simulated cut glass bowl. Perforated, polished brass gallery and trim. 15″ diameter, 8″ height. Three 60 W.

the light idea

VIRDEN Lighting

V-5192 • Two-light ceiling piece with beveled crystal panels, polished brass finish. 8″ square, 11″ length. Two 25 W. or 40 W. clear flame shape lamps.

Glittering Crystal Glass

...hand cut ornamentation
...traditional elegance at its sparkling best



V-1396 • Hand cut glass beveled panels. Polished brass. 36″ overall length, 20″ spread, 17″ high. Six 25 W. or 40 W. clear flame shape lamps.

V-2515 • Traditional crystal diffuser with decorative wood polished crystal beads, polished brass gallery. 8½″ diameter, 13″ height, 36″ overall length. Three 25 W. or 40 W. clear candelabra base lamps.

V-1394 • Beveled crystal panels with sunburst design. Polished brass finish. 36″ overall length, 12″ spread. Three 25 W. or 40 W. clear flame shape lamps.

VIRDEN Lighting

the light idea

Hand Blown Sparkling Glass ...revival of an ancient art

matching chandeliers, wall brackets and ceiling lights with exquisite filigree

V-1617



V-1619

V-6119

V-6117

V-1617 • Sculptured chandelier with metal castings in antique white and gold finish. Hand blown champagne **amber** glass has vertical molded optics. 26″ spread. Length adjusts to 36″ overall. Five 75 W.

V-1619 • Same chandelier as V-1617 except **antique brass** finish. Length adjusts to 36″ overall.

V-6117 • Matching wall bracket for V-1617 chandelier. 10¾″ high. 10″ extension. 5¾″ backplate. On/off switch. One 75 W.

V-6119 • Matching wall bracket for V-1619 chandelier. 10¾″ high. 10″ extension. 5¾″ backplate. On/off switch. One 75 W.

V-1616 • **Charcoal** glass, five-light chandelier with ornamental metal castings in antique white and gold finish. Hand blown champagne **charcoal** glass has vertical molded optics. 26″ spread. Length adjusts to 36″ overall. Five 75 W.

V-1618 • Same chandelier as V-1616 except **antique brass** finish. Length adjusts to 36″ overall.

V-5121 • **Charcoal** glass ceiling fixture with inner glass cylinder. Antique brass finish. 8″ diameter glass. 12″ length. One 75 W.

V-5122 • Same as V-5121 except with **Amber** glass.

V-6118 • Matching wall bracket for V-1618 chandelier. 10¾″ high. 10″ extension. 5¾″ backplate. On/off switch. One 75 W.

V-6116 • Matching wall bracket for V-1616 chandelier. 10¾″ high. 10″ extension. 5¾″ backplate. On/off switch. One 75 W.



V-6025 • Polished brass wall bracket with 8″ diameter white opal glass globe. 9¾″ height, 11½″ extension. On/off switch. One 75 W.

V-2305 • Polished brass chandelier with five 8″ diameter white opal glass globes. 25″ spread, 11″ height, 36″ overall length. Five 75 W.

Classic Simplicity

...opal glass spheres in contemporary settings of polished brass



V-2303 • Matching polished brass chandelier with three 8″ diameter white opal glass globes. 22½″ spread, 11″ height, 36″ overall length. Three 75 W.

the light idea

VIRDEN Lighting

V-5055 • Striking opalescent globe. Antique brass finish. 6" diameter, 8½" length. One 75 W.

V-1767
8" diam.
15" high. 75 W.

V-1769
10" diam.
18" high. 100 W.

V-1765 • Five-light antique brass chandelier. 6" opalescent glass globes have pearl-like tones. 22" spread. Length adjusts to 36" overall. Five 60 W. Hi-Lo on/off switch controls lighting level.

NOTE: For individual preference, up or down mounting is possible. (See illustration).

Opalescent glass sphere in shell-like pinks, blues, ivory. Sculptured metal castings in antique brass finish. On/off switch. Length adjusts to 36" overall. (Can easily be converted to 3-light cluster. See "drape chain kit" and "spreader kit" on page 39.)

V-6150 • Matching wall bracket. 6" diameter, 11" high, 11" extension. On/off switch. One 75 W. (Can be hung as shown or inverted.)

Lustrous Pastel Pearl Tones

...pearlescent pink, blue and ivory opalescent spheres in ornate antique brass settings

Colonial charm in scalloped white opal glass spheres set in perforated polished brass cups to emit a flattering glow

V-5156 • Matching ceiling light. Polished brass, opal glass shades. 9½" diameter, 11" length. One 75 W.

V-6156 • Matching polished brass wall bracket with opal glass shades. 5¾" diameter, 9½" high, 8" extension. On/off switch. One 75 W.

V-1456 • Polished brass chandelier with scalloped opal glass shades. 36" overall length, 24" spread, 13" high. Five 75 W.

Ensembles For Gracious

Fashionable chandeliers over your dining table create the perfect mood for mealtime enjoyment... and matching ceiling lights and wall brackets help you coordinate your lighting decor throughout the room

the light idea

V-1638 • Simulated cut glass panels. Polished brass trim. 7⅛″ square, 36″ overall length. One 75 W.

V-5038 • Ceiling fixture with simulated cut glass panels. Polished brass trim. 7⅛″ square, 9⅜″ length. One 75 W.

V-1885 • Authentic Colonial chandelier. Frosted white cut glass chimneys, clear scalloped edges. Polished brass. 18″ diameter, 36″ length. Five 75 W.

Sparkling clear crystal accents add a note of elegance to a graceful colonial design

Dining

V-5890 • Matching ceiling fixture. 10″ length. One 75 W.



V-6881 • Matching Colonial wall bracket. 4½″ backplate. 5″ extension. On/off switch. One 75 W.

Ranch Style Wagon Wheel

stained oak wheel adds authenticity to this antique copper ensemble

V-2315 • Antique copper and dark stained oak wagon wheel fixture. Frosted glass chimneys. 35″ diameter, 11½″ height, 36″ overall length. Five 75 W.

V-2313 • Antique copper and dark stained oak wagon wheel chain drop fixture. Frosted glass chimneys. 35″ diameter, 11½″ height, 36″ overall length. Three 75 W.

V-1702 • Antique copper finish wall bracket. Frosted chimney. 5¼″ diameter backplate. Extends 8¼″. On/off switch. One 75 W.

the light idea

Distinctive Wrought Iron

...a revival of the art of handcrafting metal to achieve an Old World atmosphere

V-2543 • Mediterranean style drop fixture. Amber champagne glass hand blown into a metal cage. Satin black wrought iron. Polished brass trim. 20½" diameter, 14" height, 36" overall length. Three 100 W.

V-2440 • Satin black wrought iron 5-arm chandelier. 3-light cluster candelabra under each shade. 30" diameter, 19" height, 48" overall length. Fifteen 25 W. to 40 W. candelabra base lamps.

Hedrich-Blessing photo. Courtesy National Oak Flooring Manufacturers Association

Rich Walnut Wood and White Opal Glass

...styled in the contemporary manner to enhance the beauty of modern furnishings

V-1425 • Contemporary chandelier. White opal glass shades, polished brass arms, walnut wood stem. 36″ overall length, 27″ spread, 18″ high. Five 75 W.

V-6125 • Matching contemporary wall bracket. 5″ diameter. 12″ length, 9¾″ extension. On/off switch. One 75 W.

Furniture by Directional Showrooms

the light idea

VIRDEN Lighting

V-1860 • Charming 6-light chandelier with clear crystal shades etched in frosty lines. Polished brass trim. 36" overall length, 23" spread. Six 75 W.

V-2870 • Three-light companion ceiling piece. Etched crystal shades. Polished brass finish. Length 10", spread 18". Three 75 W.

V-5860 • Matching crystal ceiling light. Polished brass. 9½" length. One 75 W.

V-6860 • Matching crystal wall bracket. Polished brass trim. 5" backplate. 6½" high, extends 7". On/off switch. One 75 W.

Lacy Crystal Glass in a Golden Setting

...gleaming polished brass reflects the sparkle of crystal and sheds a flattering light for dining

V-1884 • Authentic Early American chandelier. White hobnail glass chimneys with scalloped edges. Antique brass finish. 18" diameter, 36" length. Five 75 W.



V-5091 • Early American hobnail glass ceiling fixture. Antique brass finish, maple wood trim. 9½" diameter, 12" length. One 75 W.

V-5889 • Matching antique brass ceiling fixture. 10" length. One 75 W.

V-6879 • Matching antique brass wall bracket. 4½" backplate, 5" extension. On/off switch. One 75 W.



Early American charm in milk white hobnail glass and antique brass with maple wood

... add warmth
to Early American decor
in dining or family room

V-6080 • Matching wall bracket. On/off switch. Length 12", extends 7½", 5" diameter backplate. One 75 W.



V-1795 • Early American chandelier. Hand-blown, milk white hobnail glass shades. Authentic smoke bells. Maple wood with antique brass. 22" spread. Length adjusts to 36" overall. Five 75 W.

V-1793 • Antique brass and maple wood Early American chandelier. Hand-blown, milk white hobnail glass shades. Authentic smoke bells. 18½" spread. Length adjusts to 36" overall. Three 75 W.

United States Gypsum Company Research Village
Harris Armstrong, AIA, architect

V-2375

V-3505

V-2375 • Traditional chandelier in polished brass with amber champagne optic glass shades. 23″ spread, 18″ height. Length adjusts to 36″ overall. Five 75 W.

V-3505 • Matching vanity lamp in polished brass with amber optic champagne glass shade. 5″ diameter, 12″ height. Cord set 72″ long. On/off switch. One 75 W.

V-2420 • Transitional candelabra chandelier in polished brass and graceful satin black arms. Center basket effect. Slender white candle column adds a touch of graceful elegance. 25″ spread, 20½″ height. Length adjusts to 36″ overall. Six 40 W. candelabra base lamps.

V-2435 • Decorative ruby red glass shades accent this traditional chandelier reminiscent of the gaslight era. Polished brass accent and black oxide ornamental castings. 30″ spread, 15″ height. Length adjusts to 36″ overall. Five 75 W.



V-2420

the light idea

VIRDEN Lighting

Dramatic Chandeliers

exquisite ruby glass shades
reminiscent of gaslight era elegance...
designed to set the mood for romance...



V-2435

Romantic Candelabra Lighting

...accented by the warmth
of mellow walnut wood
and the gleam of polished brass



V-2430 • Transitional style 6-arm candelabra chandelier in walnut wood and polished brass. 24″ spread, 36″ overall length. Six 40 W. candelabra base lamps.



V-6030 • Matching 3-arm candelabra wall bracket. 20″ spread, 9″ extension, on/off switch. Three 40 W. candelabra base lamps.

Winston Elting, AIA, architect

the light idea

VIRDEN Lighting

Chandeliers for Elegance

...flattering light for dining or conversation...a sparkling accent for entrance hall or boudoir

V-2370 • Contemporary design in polished brass. Satin white opal glass shades with vertical optics. 25″ diameter, 13½″ height, 36″ overall length. Five 75 W.

V-1386 • Elegant chandelier in polished brass and crystal glass shades. 36″ overall length, 23″ spread, 18″ high. Five 75 W.

Golden Elegance

graceful brandy snifter shades of sparkling amber glass enhanced by polished brass

V-2871 • Polished brass and amber glass ceiling fixture. Spread 18", length 10". Three 60 W.

V-5861 • Polished brass and amber glass ceiling fixture. 9½" length. One 60 W.

V-1861 • Contemporary chandelier with brandy snifter shaped shades of sparkling amber glass enclosing screen-like brass diffusers. All polished brass. Spread 23", length 36". Six 60 W.

V-6861 • Matching wall bracket. 6½" length, 5" blackplate, extends 7". On/off switch. One 60 W.

Amber and WALNUT

the light idea

VIRDEN lighting

sophisticated
contemporary styling
in matched creations
for decorative elegance

V2135 • Optic hand blown champagne amber glass. Polished brass chandelier with walnut wood accents. 20″ length, 24½″ spread. Five 25 W. or 40 W. clear flame shape lamps.

V-2133 • Matching hand blown champagne amber glass ceiling fixture. Polished brass with walnut wood accents. 15″ length, 18½″ spread. Three 25 W. or 40 W. clear flame shape lamps.

V-6133 • Optic hand blown champagne amber glass wall fixture. Polished brass and walnut wood. 11½″ length, 7″ extension, 12″ spread. On/off switch. Two 25 W. or 40 W. clear flame shape lamps.

V-5107

V-1317

V-6107

the light idea

Provincial Elegance of the 18th Century authentic, hand decorated Tole lamps

V-1648



V-1647

V-1317 • French Tole white chandelier, with gold enameled metalware and brass accents. 22″ spread, 15½″ high, 36″ length. Five 75 W.

V-5107 • Matching ceiling light. Tole white shade. Brass accents. 5¼″ diameter, 12½″ length. One 75 W.

V-6107 • Matching Tole white wall bracket with brass accents. 5½″ diameter, 11″ length, 7½″ extension. On/off switch. One 75 W.

V-1648 • Tole white lantern. Frosted white chimney with polished brass smoke bell and trim. 19″ diameter, 36″ overall. 3-way switch. One 50-100-150 W.

V-1647 • Provincial lantern. Polished brass and satin white finish. Hand painted rose design on white opal glass shade. 19″ diameter. 36″ overall length. 3-way switch for 50-100-150 W.

Clare Gunderson, NSID, designer

Contemporary Ranch Style

...combining the warmth of walnut wood and the sparkle of amber glass

V-1545 • Ranch Style chandelier. Sparkling optic amber glass. Antique brass and walnut wood accents. 22½" spread, 36" length. 3-way switch. Six-lamp—five 75 W. and one center 75 W. or R-30 reflector switch.

V-5145 • Matching ceiling fixture for V-1545 chandelier. 9" diameter, 12" length. One 75 W.

A National Homes interior

V-6145 • Matching 2-light wall bracket. Antique brass and walnut 11½" width, 11½" length, extends 8". On/off switch. Two 75 W.

V-1701
Rusty Iron and Polished Copper

V-1702
Antique Copper

Ranch style wall lantern. Frosted glass chimney in decorative cup. 5¼" diameter backplate. Extends 8¼". On/off switch. One 75 W.

Inspirations from the old West

the light idea

VIRDEN lighting

...hearty rustic designs in rusty iron and polished copper...antique copper

V-1736 • Antique Copper



Ranch style chandelier. Frosted glass chimneys. 22" spread. Length adjusts to 36" overall. Five 75 W.

V-1735 • Rusty Iron and Polished Copper

V-1736 • Antique Copper



V-1742 • Antique Copper



V-1741 • Rusty Iron and Polished Copper

V-1742 • Matching ceiling lantern for V-1736 chandelier. 8¼" wide, 12½" length. One 75 W.

V-1741 • Matching ceiling lantern for V-1735 chandelier. 8¼" wide, 12½" length. One 75 W.



Hinged brass frame has touch latch for easy relamping.



Walnut Wood Surface Lights

Rich walnut wood and brass trim create a handsome light source that blends beautifully with contemporary furnishings

mellow walnut frames crafted with a cabinetmaker's care... shallow depth for today's lower ceilings

V-4714 • Solid walnut frame. 45° white cubed styrene diffuser enclosed in brass finished frame. Touch latch for easy opening. 2 ft. x 4 ft., 4¼" depth. Four 40 W. Rapid Start fluorescent.

V-4706 • Same as V-4714, except 2 ft. square. Six 20 W. Quick Start fluorescent.

V-4694 • Solid walnut frame. Alba-lite opal glass diffuser enclosed in brass finished frame. Touch latch. 16" square, 4¼" depth. Four 60 W. incandescent.

V-4692 • Same as V-4694, except 12" square. Two 60 W. incandescent.

Walnut Wood and Brass Trim...

the light idea

VIRDEN Lighting

decorative valance lighting
...easy to mount on walls
...to highlight furnishings
...for reading in bed

V-6992



V-6912
V-6916

V-6900 V-6901
V-6905 V-6906

ADJUSTABLE VALANCE BRACKET
***LD-9192**



V-6992 • Solid walnut valance or book shelf with polished brass trim. 45° cubed louver diffusers, top and bottom 49⅝" x 4¼" x 9¼" depth. On/off switch. Two 40 Watt R. S. fluorescents.

V-6912 • Metal vinyl walnut valance with polished brass panel and trim. 48-1/16" x 6¾" x 6¼" depth. On/off switch. One 40 Watt R. S. fluorescent.

V-6916 • Same as above with two 40 Watt R. S. fluorescents.

***LD-9192** • Valance board mounting kit. Extends 6" to 9".

V-6900 • Metal vinyl walnut valance with polished brass trim. 48-1/16" x 6¾" x 6" depth. On/off switch. One 40 Watt R. S. fluorescent.

V-6905 • Same as above with two 40 Watt R. S. fluorescents.

V-6901 • Same as V-6900 except styrene walnut valance with polished brass trim. 48-1/16" x 6¾" x 6" depth. On/off switch. One 40 Watt R. S. fluorescent.

V-6906 • Same as above with two 40 Watt R. S. fluorescents.

VIRDEN LUMILITE ...a modern suspended luminous ceiling system

luxury lighting for any room decor...ideal for lowering ceiling height or hiding unsightly ceilings... gives the illusion of spaciousness



V-8912 • 2′ x 2′
Poly-Prism

V-8914 • 2′ x 4′
Poly-Prism

V-8902 • 2′ x 2′
Cube 45°

V-8904 • 2′ x 4′
Cube 45°

V-8922 • 2′ x 2′
Poly-Frostwhite

V-8924 • 2′ x 4′
Poly-Frostwhite

All materials are steel, pre-coated high bake white enamel

The Virden Lumilite suspended luminous ceiling system has been designed for easy, low cost installation and maintenance. It uses a minimum of parts, provides a rigid, attractive ceiling of light for kitchen, bath, recreation room...is ideal for remodeling any room.

HOW TO ORDER GRID SYSTEM

1. A plan view layout of the room should be sketched to determine the 2'x2' or 2'x4' module desired.

   Measure the overall perimeter of the room in feet and divide by 10. The result will be the total quantity of WALL ANGLES (V-8800) required. Order one extra wall angle for any remaining fraction.

2. The 12' MAIN TEE **(V-8801)** should be installed in the most economical direction, dependent on the length or width of the room, whichever is the closest multiple of 12'. Total quantity depends on the module selection.

3. The diffuser selection (2'x2' or 2'x4') will determine the type and quantity of CROSS TEES **(V-8802 V-8804)** required. This must be derived from the plan view layout.



HOW TO ORDER PART NUMBERS



This portion of the MAIN TEE must be trimmed as shown to begin cross tee slots on 6" increments, thus insuring cross tees on 2' and/or 4' modules.

V-8800 Wall Angle 10 Ft.
V-8801 Main Tee 12 Ft.
V-8802 Cross Tee 2 Ft.
V-8804 Cross Tee 4 Ft.
V-8806 Inside Corner Cap
V-8807 Outside Corner Cap
V-8808 Hanger Strap Variations

the light idea

SCR FLUORESCENT DIMMING SYSTEM

The completely new improved Virden SCR Fluorescent Dimming System is the most reliable, efficient and economical method yet devised for control of fluorescent lighting installations. It operates up to 36 F40 rapid start lamps with a single intensity selector control from 95% Rated Lamp Output at maximum intensity to complete darkness. The dimming ratio (500 to 1) has been greatly improved, thus eliminating the variable dimming ratios experienced with multi-auxiliary dimming systems.

Fluorescent lighting can now be dramatically dimmed to suit the mood in such lighting applications as Valance, Cove, Cornice, Luminous ceilings, etc. The working light provides a new concept in decorative lighting for the home, office, club, restaurant, etc.

valance cove cornice

The 12 lamp intensity selector controls from 1 through 12 rapid start lamps from a standard single gang box. Integral on/off switch is built into the selector. The selector is supplied with control fixture LD-9160 or LD-9170.

The 36 lamp intensity selector controls from 1 through 36 rapid start lamps from a standard two gang box. The intensity selector is supplied with control fixture LD-9162 or LD-9172. A separate on/off switch (not furnished) is required with this system.

Note: Maximum loading of a 15 amp on/off switch is 24 HPF or 13 LPF single lamp dimming ballasts, or 12 HPF two lamp dimming ballasts. (Switch cover plate not included.)



HOW TO ORDER DIMMING SYSTEM

1 through 12 lamp installations—
Order 1 control fixture LD-9160 or LD-9170
Order up to 11 dimmer fixtures LD-9165 or (5) LD-9175

1 through 24 lamp installations—
Order 1 control fixture LD-9162 or LD-9172
Order 1 auxiliary fixture LD-9163 or LD-9173
Order up to 22 dimmer fixtures LD-9165 or (10) LD-9175

1 through 36 lamp installations—
Order 1 control fixture LD-9162 or LD-9172
Order 2 auxiliary fixtures LD-9163 or LD-9173
Order up to 33 dimmer fixtures LD-9165 or (15) LD-9175

Catalog No.	No. Lamps	Lamp and Description	Ballast	Length	Width	Depth W/Lamps
LD-9147	1	F40RS Variable Output Voltage	LPF-89G541	48"	2¾"	3¾"
LD-9148	1	F40RS Variable Output Voltage	HPF-89G718	48"	2¾"	3¾"
LD-9149	1	F40RS Variable Input Voltage	HPF-89G929	48"	2¾"	3¾"
LD-9160	1	F40RS 1-12 Lamp Control Unit	LPF-SCR	48"	2¾"	3¾"
LD-9162	1	F40RS 1-36 Lamp Control Unit	LPF-SCR	48"	2¾"	3¾"
LD-9163	1	F40RS 1-12 Lamp Auxiliary Unit	LPF-SCR	48"	2¾"	3¾"
LD-9165	1	F40RS SCR Dimmer Unit	LPF-SCR	48"	2¾"	3¾"
LD-9170	2	F40RS 1-12 Lamp Control Unit	LPF-SCR	48"	4¼"	3¾"
LD-9172	2	F40RS 1-36 Lamp Control Unit	LPF-SCR	48"	4¼"	3¾"
LD-9173	2	F40RS 1-12 Lamp Auxiliary Unit	LPF-SCR	48"	4¼"	3¾"
LD-9175	2	F40RS SCR Dimmer Unit	LPF-SCR	48"	4¼"	3¾"

See catalog VC-80 for other assorted fluorescent strip.

DIE-CAST FRAMES SUITABLE FOR OUTDOOR USE

the light idea

Recessed Lighting

SQUARE RECTANGULAR





BUILT-IN LIGHTING

Virden recessed fixtures provide the three basic types of lighting

1. General Illumination
2. Dramatic Accent Lighting
3. Specific Task Lighting

- U. L. APPROVED—60°C
- 100 THRU 300 WATT SIZES
- PRE-WIRED OR UN-WIRED HOUSINGS
- ASSORTED TRIM FINISHES AND GLASS DIFFUSERS

FEATURES

- HOUSING —Heavy gauge steel welded construction
- J-BOX Large 26 cu. in. capacity 14 ga. zinc coated steel ½" and ¾" combination pryout K/O's 60°C supply conductors Access from front or back or from inside housing
- BAR HANGERS V-95 —For 16" joists included with pre-wired units
- HI-BAKE —White enamel finish
- REFLECTOR —Large POL-SPEC reflector for wide angle distribution
- PORCELAIN SOCKET
- FRAME —Wide one piece die-cast construction with light baffle and gasket
- "V-TORSION" Spring lock-up
- DIFFUSERS —5 types—22 sizes



V-95 • 16" Bar Hanger with "L" bracket for square recessed.
V-96 • 24" Bar Hanger with "L" bracket for square recessed.

See following pages for additional recessed fixtures.

PRE-WIRED V-23
UN-WIRED V-13
100 Watt
SQUARE
8″ x 8″ x 4″

Bar hangers V-95 included with pre-wired units.

PRE-WIRED V-24
UN-WIRED V-14
150 Watt
SQUARE
10″ x 10″ x 4″

Bar hangers V-95 included with pre-wired units.

PRE-WIRED V-25
UN-WIRED V-15
200 Watt
SQUARE
12″ x 12″ x 4″

Bar hangers V-95 included with pre-wired units.



PRE-WIRED



UN-WIRED

IMPORTANT! Order housing, trim and diffuser separately. For example, to get a 150 watt pre-wired square with polished brass trim and Alba-Lite diffuser, specify: **V-24—V-40—V-46**

DIE-CAST FRAMES SUITABLE FOR OUTDOOR USE

Satin Aluminum



Polished Brass

Chromium

DIE-CAST TRIMS
9⅜″ x 9⅜″
- **V-30** • Polished Brass
- **V-31** • Polished Copper
- **V-32** • Chromium
- **V-33** • Satin Aluminum
- **V-34** • Satin White

DIE-CAST TRIMS
11⅜″ x 11⅜″
- **V-40** • Polished Brass
- **V-41** • Polished Copper
- **V-42** • Chromium
- **V-43** • Satin Aluminum
- **V-44** • Satin White

DIE-CAST TRIMS
13⅜″ x 13⅜″
- **V-50** • Polished Brass
- **V-51** • Polished Copper
- **V-52** • Chromium
- **V-53** • Satin Aluminum
- **V-54** • Satin White

GLASS DIFFUSERS
- **V-35** • Blown Opal (No Trim Required)
- **V-36** • Alba-Lite
- **V-37** • Molded Opal
- **V-38** • Bent Decorated
- **V-39** • Fresnel Lens

GLASS DIFFUSERS
- **V-45** • Blown Opal (No Trim Required)
- **V-46** • Alba-Lite
- **V-47** • Molded Opal
- **V-48** • Bent Decorated
- **V-49** • Fresnel Lens

GLASS DIFFUSERS
- **V-55** • Blown Opal (No Trim Required)
- **V-56** • Alba-Lite
- **V-57** • Molded Opal
- **V-58** • Bent Decorated
- **V-59** • Fresnel Lens

Bent Decorated Glass



Molded Opal Glass

Fresnel Lens

PRE-WIRED V-27

200-300 Watt

SQUARE
12" x 12" x 9"

VERTICAL LAMP

Bar hangers V-95 included with pre-wired units.



IMPORTANT! Order housing, trim and diffuser separately. For example, to get a 200/300 watt pre-wired square with polished brass trim and Alba-Lite diffuser, specify: **V-27—V-50—V-56**

PRE-WIRED V-26
UN-WIRED V-16

100 Watt

RECTANGULAR
8" x 12" x 4"

Bar hangers V-95 included with pre-wired units.



IMPORTANT! Order housing, trim and diffuser separately. For example, to get a 100 watt pre-wired rectangle with polished brass trim and Alba-Lite diffuser, specify: **V-26—V-60—V-66**

DIE-CAST TRIMS SUITABLE FOR OUTDOOR USE



Satin White

DIE-CAST TRIMS

13⅜" x 13⅜"

V-50 • Polished Brass
V-51 • Polished Copper
V-52 • Chromium
V-53 • Satin Aluminum
V-54 • Satin White

GLASS DIFFUSERS

V-55 • Blown Opal (No Trim Required)
V-56 • Alba-Lite
V-57 • Molded Opal
V-58 • Bent Decorated
V-59 • Fresnel Lens

Hand Blown Opal Glass



Polished Copper

DIE-CAST TRIMS

9⅜" x 13⅜"

V-60 • Polished Brass
V-61 • Polished Copper
V-62 • Chromium
V-63 • Satin Aluminum
V-64 • Satin White

GLASS DIFFUSERS

V-66 • Alba-Lite
V-68 • Bent Decorated



Alba-Lite

the light idea

Recessed Lighting

ROUND

decorative/functional



FIT-ALL HI-HATS PERMIT FULL FLEXIBILITY

Fit-All trim and glass shown on pages 86-87.

Select one housing, either (V-8) pre-wired or (V-7) un-wired.

Then choose the trim and glass to satisfy the decor and/or lighting requirement, from the wide selection of styles and finishes shown on following pages.

Bar hangers included with pre-wired units.



PRE-WIRED OR UN-WIRED

14 GA.–
J-box 26 cu. in. easy access
–ample ½" and ¾" pryout K/O's

HOUSING–
Heavy gauge steel
deep drawn–one piece,
hi-bake white finish.

PLASTER FRAME–
Included

ADJUSTABLE–
Porcelain socket for
various lamp positions

LOCK-UP–
"V"-Torsion spring

ASSORTED–
Trims and finishes

ASSORTED–
Glass diffusers

V-91 • 16" Bar Hanger
V-94 • 24" Bar Hanger

V-7

UN-WIRED
FIT-ALL HOUSING

(order V-91 or V-94 Bar Hangers separately for un-wired units)



V-8

PRE-WIRED
FIT-ALL HOUSING

Bar hangers V-91 included with pre-wired units.



See pages 86-87 for details and catalog numbers.

Versatile Round Recessed

...to create a host of lighting effects

...one housing fits all trims

100 Watt A-TYPE

Gasketed Fresnel Lens
For shower light. 8" dia. trim. 100 watt.
V-150 • Satin Brass
V-151 • Chromium
V-152 • Satin White

Gasketed Drop Opal Glass
For shower light. 8" dia. trim. 100 watt.
V-155 • Satin Brass
V-156 • Chromium
V-157 • Satin White

Flat Alba-lite Glass
8" dia. trim. 100 watt.
V-160 • Satin Brass
V-161 • Chromium
V-162 • Satin White

Bent Ceramic White Glass
8" dia. trim. 100 watt.
V-165 • Satin Brass
V-166 • Chromium
V-167 • Satin White



Hand Blown Opal Glass
No trim required.
V-170 • 9⅜" diameter, 2½" depth. 100 watt.

Bent Decorated Glass
No trim required.
V-175 • 8¼" diameter, 1½" depth. 100 watt.

Bent Glass 8" Dia.
10" diameter trim. Decorative pierced holes. 100 watt.
V-195 • Satin Brass

RECESSED INFRARED HEAT FIXTURES for use with R-40, 250 W. heat lamp



V-10 • Infrared Heat Lamp. Pre-wired J-Box U. L. Approved for 60°C. supply conductors. 8" diameter chromium trim. Bar hangers V-91 included. For use with R-40, 250 watt lamp.



the light idea

75 Watt R-30

2" Aperture R-30
8" diameter trim. 75 watt.
V-120 Satin Brass **V-122** Satin White
V-121 Chromium **V-123** Satin Copper

150 Watt R-40

Louvered R-40
8" diameter trim. 150 watt.
V-135 Satin Brass **V-137** Satin White
V-136 Chromium **V-138** Satin Copper

Louvered R-30
8" diameter trim. 75 watt.
V-125 Satin Brass **V-127** Satin White
V-126 Chromium **V-128** Satin Copper

Open Bottom R-40
8" diameter trim. 150 watt.
V-140 Satin Brass **V-142** Satin White
V-141 Chromium **V-143** Satin Copper

Open Bottom R-30
8" diameter trim. 75 watt.
V-130 Satin Brass **V-132** Satin White
V-131 Chromium **V-133** Satin Copper

Decorative Pierced Trim R-40
8" diameter. 150 watt.
V-145 Satin Brass

Eyeball R-30
8" diameter trim. Pivots 45°, swivels 358°. 75 watt.
V-180 Satin Brass **V-182** Satin White
V-181 Chromium **V-183** Satin Copper

Decorative Trim R-40
8½" dia. decorative trim. 150 watt.
V-190 Satin Brass

Eyeball-Louvered R-30
8" diameter trim. Pivots 45°, swivels 358°. 75 watt.
V-185 Satin Brass **V-187** Satin White
V-186 Chromium **V-188** Satin Copper

- Heavy gauge steel—one piece construction
- Hi-bake white finish inside and outside
- Vertical adjustable lamp positioning "V" Torsion spring trim lock-up
- No light leak construction



V-8 PRE-WIRED Fit-All Housing

Bar hangers V-91 included with pre-wired units.



V-7 UN-WIRED Fit-All Housing

Order V-91 or V-94 Bar Hangers separately for un-wired units.

Note: Order Housing and Trim by separate numbers.

Recessed Hi-hats

to highlight
furniture, fireplace,
paintings, planters, etc.

- Complete Units
- Aluminum Housing
- Snap-In Outlet Box
- Porcelain Socket
- Copper Screw Shell
- Satin White Flat Trim
- Plaster Ring Furnished
- U.L. Approved For Maximum Wattage
- Bar Hangers V-91 Available

SP-8000 • Open bottom. Housing 4½" x 5¼". Flange 5¾". One R-30-75W. Spot or Flood.

SP-8010 • Open bottom. Housing 5½" x 6⅞". Flange 7⅞". One R-40-150W. Spot or Flood.

SP-8022 • Swivels 358°. Housing 6¾" x 5¾". Trim 8". Ceiling penetration 7⅜". One R-20, 30W. or 50W. Flood.

SP-8005 • Louvered. Housing 4½" x 7". Flange 5¾". Offers 45° cutoff. One R-30-75W.

SP-8015 • Louvered. Housing 5½" x 8". Flange 7⅞". Offers 45° cutoff. One R-40-150W.

SP-8032 • Swivels 358°. Housing 6¾" x 5¾". Trim 8". Ceiling penetration 7⅜". One R-30-75W. Spot or Flood.

SP-8020 • Shower light. Waterproof gasket. Housing 5½" x 6¾". Trim 7⅞". One 75W.

SP-8025 • Drop opal glass. Housing 5½" x 7¾". Trim 7⅞". One 75W.

SP-8042 • Swivels 358°. Housing 9" x 5¾". Trim 10". Ceiling penetration 7⅜". One R-40-150W. Spot or Flood.



TWO-LAMP RECESSED FLUORESCENT 20-40 WATTS

V-8852 • Two 40 W.
Box size 8" x 48½" x 5" depth. Trim size 10" x 50". Rapid Start, H. P. F.

V-8752 • Two 20 W.
Box size 8" x 24½" x 5" depth. Trim size 10" x 26". Quick Start, L. P. F.

White flat plastic diffuser with chromium trim. Hinged for easy relamping. Ideal for kitchen, bathroom, utility and recreation rooms.

the light idea

Virden V-66 catalog index

FIXTURE NO.	PAGE
V-317	15
V-400	15
V-408	10
V-409	10
V-512	30
V-609	16
V-611	16
V-613	16
V-614	30
V-625	16
V-672	6
V-673	6
V-674	6
V-706	21
V-708	21
V-710	21
V-714	29
V-808	20
V-810	20
V-872	6
V-873	6
V-874	9
V-970	7
V-971	7
V-975	9
V-976	9
V-1015	54
V-1113	26 & 38
V-1114	26 & 38
V-1118	46
V-1119	46
V-1120	48
V-1132	40
V-1133	40
V-1147	46
V-1161	47
V-1165	33
V-1167	38
V-1168	38
V-1171	39
V-1185	43
V-1186	43
V-1190	32
V-1195	34
V-1210	46
V-1215	49
V-1226	48
V-1317	74
V-1386	71
V-1394	55
V-1396	55
V-1425	64
V-1456	60
V-1464	48
V-1545	76
V-1550	49
V-1551	49
V-1553	49
V-1554	49
V-1555	49
V-1564	44
V-1574	44
V-1615	30
V-1616	57
V-1617	56
V-1618	57
V-1619	56
V-1621	34
V-1622	34
V-1624	34
V-1625	34
V-1627	34
V-1628	34
V-1638	61
V-1647	75
V-1648	75
V-1672	47
V-1673	47
V-1675	33
V-1678	38
V-1680	39
V-1681	39
V-1684	39
V-1686	39
V-1696	33

FIXTURE NO.	PAGE
V-1697	32
V-1698	33
V-1701	76
V-1702	62 & 76
V-1710	39
V-1712	39
V-1721	42
V-1730	43
V-1731	43
V-1735	77
V-1736	77
V-1741	77
V-1742	77
V-1751	42
V-1761	42
V-1765	59
V-1767	59
V-1769	59
V-1773	41
V-1774	41
V-1775	41
V-1776	40
V-1777	40
V-1781	42
V-1785	43
V-1786	43
V-1793	67
V-1795	67
V-1835	32
V-1860	65
V-1861	72
V-1884	66
V-1885	61
V-1930	32
V-1935	33
V-1937	35
V-1938	32
V-1941	33
V-1942	33
V-1943	33
V-1952	48
V-1954	48
V-1958	47
V-1961	36
V-1963	36
V-1964	43
V-1965	36
V-1966	36
V-1968	37
V-1969	37
V-1977	32
V-1980	32
V-2064	45
V-2133	73
V-2135	73
V-2303	58
V-2305	58
V-2313	62
V-2315	62
V-2324	45
V-2334	44
V-2340	51
V-2341	52
V-2345	50
V-2346	52
V-2350	51
V-2351	53
V-2370	71
V-2375	68
V-2411	38
V-2420	68
V-2425	54
V-2430	70
V-2435	69
V-2440	63
V-2510	48
V-2515	55
V-2520	49
V-2525	35
V-2530	35
V-2531	35
V-2535	5
V-2541	35
V-2543	63
V-2550	34

FIXTURE NO.	PAGE
V-2555	2
V-2808	15
V-2870	65
V-2871	72
V-3114	29
V-3118	29
V-3135	30
V-3165	28
V-3166	28
V-3167	28
V-3170	31
V-3185	30
V-3214	30
V-3216	31
V-3224	29
V-3226	29
V-3230	29
V-3236	31
V-3247	28
V-3248	28
V-3250	31
V-3253	30
V-3255	28
V-3258	29
V-3263	29
V-3265	30
V-3268	29
V-3270	30
V-3271	30
V-3276	28
V-3505	68
V-3515	31
V-3517	31
V-3719	31
V-3819	31
V-4017	54
V-4018	19
V-4019	19
V-4032	20
V-4033	20
V-4047	17
V-4058	17
V-4085	16
V-4086	16
V-4100	18
V-4101	18
V-4102	18
V-4110	18
V-4111	18
V-4112	18
V-4120	18
V-4121	18
V-4122	18
V-4230	13
V-4231	13
V-4261	16
V-4290	17
V-4293	17
V-4310	15
V-4312	15
V-4320	15
V-4322	15
V-4340	19
V-4341	19
V-4342	19
V-4350	19
V-4351	19
V-4352	19
V-4360	17
V-4374	44
V-4460	16
V-4465	16
V-4485	31
V-4550	18
V-4551	18
V-4553	18
V-4554	18
V-4555	18
V-4600	19
V-4610	19
V-4620	19
V-4640	19
V-4650	19
V-4660	19
V-4672	18

FIXTURE NO.	PAGE
V-4673	18
V-4692	78
V-4694	78
V-4706	78
V-4714	78
V-4742	21
V-4933	21
V-4935	21
V-4943	21
V-4945	21
V-4946	21
V-4953	21
V-4963	21
V-4970	21
V-5000	14
V-5002	14
V-5038	61
V-5045	15
V-5055	59
V-5060	15
V-5065	15
V-5091	66
V-5107	74
V-5110	15
V-5115	15
V-5121	57
V-5122	57
V-5145	76
V-5156	60
V-5192	55
V-5350	15
V-5675	15
V-5860	65
V-5861	72
V-5889	66
V-5890	61
V-6025	58
V-6030	70
V-6080	67
V-6107	74
V-6116	57
V-6117	56
V-6118	57
V-6119	56
V-6125	64
V-6133	73
V-6145	76
V-6150	59
V-6155	25
V-6156	60
V-6160	26
V-6161	26
V-6165	26
V-6200	14
V-6201	14
V-6202	14
V-6210	14
V-6212	14
V-6220	14
V-6221	14
V-6222	14
V-6225	14
V-6226	14
V-6230	14
V-6231	14
V-6232	14
V-6250	14
V-6251	14
V-6252	14
V-6255	14
V-6256	14
V-6260	14
V-6261	14
V-6262	14
V-6273	14
V-6274	14
V-6320	24
V-6322	24
V-6364	45
V-6421	23
V-6422	23
V-6441	23
V-6442	23
V-6445	23
V-6446	23

FIXTURE NO.	PAGE
V-6455	23
V-6457	23
V-6461	23
V-6462	23
V-6528	27
V-6529	27
V-6530	27
V-6535	27
V-6536	27
V-6537	27
V-6538	27
V-6540	27
V-6546	26
V-6549	26
V-6551	24
V-6556	23
V-6563	23
V-6566	27
V-6570	27
V-6571	27
V-6572	25
V-6580	25
V-6590	24
V-6609	23
V-6610	23
V-6611	23
V-6631	25
V-6636	25
V-6641	25
V-6650	25
V-6700	51
V-6701	53
V-6730	24
V-6735	24
V-6816	22
V-6817	22
V-6821	22
V-6822	22
V-6850	20
V-6851	20
V-6860	65
V-6861	72
V-6879	66
V-6881	61
V-6900	79
V-6901	79
V-6905	79
V-6906	79
V-6910	22
V-6912	79
V-6916	79
V-6924	22
V-6925	22
V-6934	22
V-6935	22
V-6940	22
V-6941	22
V-6944	22
V-6945	22
V-6948	22
V-6952	20
V-6953	20
V-6960	22
V-6962	22
V-6963	22
V-6964	22
V-6971	22
V-6972	22
V-6973	22
V-6974	22
V-6992	79
V-7010	9
V-7047	10
V-7048	10
V-7107	11
V-7110	11
V-7120	11
V-7125	6
V-7127	6
V-7128	6
V-7145	3
V-7150	4
V-7151	4
V-7155	5
V-7156	5

FIXTURE NO.	PAGE
V-7167	11
V-7171	8
V-7172	8
V-7180	3
V-7185	9 & 22
V-7190	9
V-7195	10
V-7200	4
V-7205	11
V-7210	10
V-7220	12
V-7225	3
V-7230	6
V-7231	6
V-7353	11
V-7410	9
V-7430	13
V-7431	13
V-7435	13
V-7436	13
V-7445	3
V-7450	4
V-7455	5
V-7456	5
V-7600	12
V-7605	13
V-7606	13
V-7615	12
V-7630	12
V-7635	13
V-7640	13
V-7773	6
V-7775	6
V-7800	6
V-7815	7
V-7830	7
V-7835	5
V-7836	5
V-7841	7
V-7843	8
V-7845	3
V-7850	4
V-7875	2
V-7876	2
V-7882	9
V-7896	10
V-7898	10
V-7900	10
V-7901	10
V-7902	10
V-7907	10
V-7908	11
V-7910	7
V-7921	10
V-7923	10
V-7930	7
V-7951	13
V-7952	13
V-7960	9
V-7961	9
V-7975	10
V-7982	9
V-8752	88
V-8800	81
V-8801	81
V-8802	81
V-8804	81
V-8806	81
V-8807	81
V-8808	81
V-8852	88
V-8902	80
V-8904	80
V-8912	80
V-8914	80
V-8922	80
V-8924	80
V-9190	22
V-9191	22
LD-9192	79
V-9610	22
V-9612	22
V-9613	22
V-9614	22
RECESSED	82-88

The John C. Virden Company reserves the right to make design, engineering and price changes without notice.

"The Light Idea" in lighting your home for decorative elegance

A. I. A. 31-F-2
R. A. I. C. 31-F-23
U.L. and C.S.A. APPROVED

VIRDEN...For nearly a half century, the name Virden has stood for lighting fixtures of the highest quality...designed to combine fashion and function...crafted with skill and care. Now, in a new age of elegance, Virden puts new emphasis on high fashion design...and on coordinated lighting decor throughout the home. You can always rely on Virden for the latest in style...the finest in performance.

See your dealer or distributor for other Virden lighting catalogs.

JOHN C. VIRDEN COMPANY • 6103 Longfellow Avenue • Cleveland, Ohio 44103

JOHN C. VIRDEN LIMITED • 19 Curity Avenue • Toronto 16, Ontario

COPYRIGHT 1965 JOHN C. VIRDEN COMPANY